



SOLARIMETER RE580C



Year 1
study

Features

- Data transmission RS-232 port
- Display LCD
- Power 4 Lithium-ion batteries

Description

Allows solar insolation (thermal radiation) reaching the solar panel to be quantified.

Related laws

- Thermal Radiation
- Solar Insolation

Learning capabilities

- Investigation of the solar irradiation level across the solar panel to be investigated and averaged
- Investigation of the solar panel conversion efficiency (Incident radiation v Electrical power output)

Technical Specification

- Measurement range: 0 to 2,000 W/m²
- Resolution: 1 W/m²
- Accuracy: ± 10 W/m² or $\pm 5\%$
- Spectral range: 400 to 1,100nm
- Memory: 32,000 readings

Essential Ancillaries

- RE580

Recommended Ancillaries

- RE580B
- RE580D
- RE580E
- RE580F
- RE580G

- RE580H

What's in the Box?

- 1 x RE580C
- Packing list
- Test sheet

Weights & Dimensions

- Weight: 0.2kg
- Length: 64mm
- Width: 34mm
- Height: 111mm

Essential Services

- RE580

Operational Conditions

- Operating temperature range: 0 to +50°C
- Operating humidity range:

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure.

Copyright © 2018 P.A. Hilton Limited. All rights reserved. This technical leaflet, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of P. A. Hilton Limited. Hi-Tech Education is a registered trade mark of P. A. Hilton Limited.

COUNTRY OF ORIGIN - UK WARRANTY PERIOD - 5 YEARS